


C:\RenLocal\4081_Posner_GSA_R16_kennet

7/24/2020 12:23:08 PM



DRAWING LEGEND - FLOOR PLAN

- EXISTING PARTITION
NEW PARTITION
NOT IN SCOPE
- WALL TAG, SEE A4.1
DOOR TAG, SEE A10.1

GENERAL NOTES - FLOOR PLAN

- A. PARTITIONS TYPES**
EXCEPT WHERE INDICATED OTHERWISE, PARTITIONS SHALL BE TYPE 3B.B.b - NON-FIRE RATED, 3/8-INCH STEEL STUDS EXTENDING FROM FLOOR TO THE UNDERSIDE OF FLOOR/ROOF DECK ABOVE, WITH ONE SIDE OF GYPSUM BOARD EXTENDING FULL HEIGHT OF STUD FRAMING AND THE OTHER SIDE OF THE GYPSUM BOARD EXTENDING TO 6-INCHES ABOVE THE FINISHED CEILING, AND ACOUSTIC BATT INSULATION FULL HEIGHT IN THE STUD CAVITY.
- B. LAYOUT AND DIMENSIONS**
DO NOT SCALE THE DRAWINGS. LAYOUT THE PARTITIONS AND OPENINGS PRIOR TO CONSTRUCTION. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES WITH THE DRAWINGS.
- C. PARTITION ALIGNMENT**
UNLESS NOTED OTHERWISE, ALIGN NEW PARTITIONS WITH THE FACE OF EXISTING CONSTRUCTION AS APPLICABLE. WHERE NEW CONSTRUCTION IS SHOWN TO FILL EXISTING WALL OPENINGS, BOTH FACES OF THE NEW CONSTRUCTION SHALL ALIGN WITH THE EXISTING WALL FACES UNLESS INDICATED OTHERWISE.
- D. DOORS**
EXCEPT WHERE DIMENSIONED OTHERWISE, LOCATE OUTER EDGES OF DOOR FRAMES 4-INCHES FROM PERPENDICULAR WALLS AND PARTITIONS.
- E. DIMENSIONS**
DIMENSIONS LOCATING FRAMED PARTITIONS OR FURRED-OUT CONCRETE OR MASONRY PARTITIONS ARE TAKEN FROM THE FACE OF WALLBOARD (OR PLASTER WHERE APPLICABLE). DIMENSIONS LOCATING EXPOSED CONCRETE OR MASONRY WALLS ARE TAKEN FROM THE FACE OF CONCRETE OR MASONRY. UNLESS INDICATED OTHERWISE, THICKNESSES OF APPLIED FINISHES ARE NOT INCLUDED IN THE PLAN DIMENSION. REFER TO THE FINISH SCHEDULE AND DETAILS.
- F. ART**
CONTRACTOR TO COORDINATE WITH SECURITY VENDOR REMOVAL, STORAGE, AND REPLACEMENT OF EXISTING ARTWORK.
- G. APPLIANCES**
SALVAGE ALL EXISTING KITCHENETTE APPLIANCES AND TURN OVER TO OWNER.

Hex (A) - Floor Plan Notes

KEY VALUE	KEYNOTE TEXT
A87	POWERWASH AND RESEAL EXG WOOD DECK
A103	PATCH, REPAIR, AND PAINT EXISTING GYPSUM WALL WHERE EXISTING WOOD AND ACOUSTIC PANELS WERE REMOVED
A113	PROVIDE 2-HOUR SHAFTHALL AS NECESSARY ABOVE EXISTING WALLS TO REMAIN TO MAINTAIN FIRE ENCLOSURE AROUND PLUMBING CHASE
A114	PROVIDE DRYWALL INFILL AT TOP OF WALL WHERE EXISTING TRANSOM GLAZING IS REMOVING
A127	PROVIDE OPCI WALL MOUNTED, EXTERIOR RATED EMERGENCY PHONE
A140	BUTTON FOR 179A.1 LEFT DOOR LEAF, RECESSED INTO EXISTING DRYWALL
A141	DOUBLE BUTTON FOR 179A AND 179A.1 LEFT DOOR LEAF, RECESSED INTO EXISTING MARBLE WALL
A142	BUTTON FOR 179A LEFT DOOR LEAF, RECESSED INTO EXISTING METAL DOOR FRAME TO REPLACE EXISTING INTERCOM
A187	PROVIDE ELONGATED PERIMETER MULLION TO ABUT EXISTING DECORATIVE STONE WALL SURFACE IN VESTIBULE 179A

The nomenclature of a typical Condoc Keynote is as follows:


e.g.: 09-2216-A1.004 3-5/8" METAL STUD

The first 6 digits, refer to a Section of the Specifications. The following alpha character refers to the specific Bid Pack, i.e., in this example, Drawing Release "A1". The suffix "004" is the specific indicator for a particular item, material, etc. Therefore, the suffix "004" would denote the same item in Section 09-2216, wherever indicated, regardless of referenced Bid Pack.

Various Condoc Keynotes occur on each sheet on which those specific notes are applicable. Where notes are missing from a specific drawing, refer to the Master List of Condoc Keynotes. All Condoc Keynotes applicable to the project are listed on the Master List.

KEYNOTE NUMBER	DESCRIPTION
06-4000-B101	EXISTING WOOD WALL PANELING TO REMAIN. REPLACE HARDWARE AT EXISTING PANELLED FIRE HOSE CABINET DOOR TO BE MAINTAINED IN PLACE. SAND, RE-STAIN, REFINISH ALL SCRATCHED AND DAMAGED PANELS. TYP. 2 HR RATED VERTICAL FIRE SHUTTER MOUNTED WITHIN EXISTING BULKHEAD
08-3300-B101	PROVIDE FROSTED FILM ON GLAZED DOORS WITH 1-INCH REVEAL AT PERIMETER
09-6600-B101	REPAIR TERRAZZO FLOORING WHERE EXISTING GROUTED BUST PLINTH WAS REMOVED
09-6600-B102	BUFF PORTION OF EXISTING TERRAZZO FLOORING WHERE DESK AND SIGN WERE REMOVED TO MATCH EXISTING SURROUNDING FLOOR
09-6100-B102	REPAINT EXISTING HANDRAILS
10-2813-B102	MOP RACK
10-4400-B002	SEMI-RECESSED FIRE EXTINGUISHER AND CABINET. REFER TO ARCHITECTURAL STANDARDS (AS) SHEET FOR MOUNTING HEIGHTS UNLESS NOTED OTHERWISE.
10-4400-B004	WALL MOUNTED FIRE EXTINGUISHER. REFER TO ARCHITECTURAL STANDARDS (AS) SHEET FOR MOUNTING HEIGHTS UNLESS NOTED OTHERWISE.
11-6200-B105	2.5" TALL DIGIT CLASSROOM CLOCK PROVIDED BY ELECTRICAL CONTRACTOR
11-6200-B110	FLAT PANEL DISPLAY. SEE AV RESPONSIBILITY MATRIX IN SPECS FOR FURNISHING AND INSTALLATION RESPONSIBILITIES
11-6200-B113	AV TOUCH PANEL. SEE AV RESPONSIBILITY MATRIX IN SPECS FOR FURNISHING AND INSTALLATION RESPONSIBILITIES
12-2400-B103	PROVIDE NEW SHEER MANUAL WINDOW SHADE MOUNTED TO DRYWALL BULKHEAD ABOVE WINDOW, WS-02

Architect:



5411 Penn Ave Pittsburgh, PA 15206

v 412.345.5005

http://www.gbbn.com

Consultants:

Civil
Civil & Environmental Consultants, Inc.
333 Baldwin Road
Pittsburgh, PA 15205-1751
v.412.429.2324


MEP
CJL Engineering
1555 Coraopolis Heights Rd Suite 4200
Moon Township, PA 15108
v. 412.262.1220

Structural
WBCM
600 Bursa Dr Suite 609
Pittsburgh, PA 15017
v. 412.221.5385


Acoustics
vizzAcoustics
v. 724.377.1984

LEED
Evolve EA
6020 Broad St
Pittsburgh, PA 15206
v.412.362.2100

Key Plan:



Seal:



Drawing Issue:

FOR CONSTRUCTION SET

No.	Date	Description
3	08.24.18	DEMOLITION REVISIONS
14	11.14.18	BID ADDENDUM #01
15	11.26.18	BID ADDENDUM #02
18	12.18.18	BID ADDENDUM #03
21	01.10.19	RFI #183
25	01.16.19	RFI #110.1
31	02.26.19	RFI #117
34	03.06.19	RFI #110.2
47	04.18.19	RFI #223
48	04.22.19	RFI #266
51	04.29.19	RFI #287
63	05.24.19	RFI #298
66	06.03.19	RFI #364
69	06.25.19	RFI #408
77	06.19.19	RFI #399
131	10.2.19	RFI #609
143	11.06.19	RFI #593.1
150	11.19.19	RFI #163.1
153	11.24.19	Temporary Occupancy Permit
182	04.16.20	RFI #183.3

Carnegie Mellon

Campus Design and Facility Development
Carnegie Mellon University
417 South Craig Street, 3rd Floor
Pittsburgh, PA 15213

UNIVERSITY PROJECT NO.: 41569

BUILDING NAME: Posner / Hall of the Arts

PROJECT NAME:
HALL OF THE ARTS (formerly GSIA) /
POSNER ACADEMIC BACKFILL PH 2+3
4980 Margaret Morrison; Pittsburgh, PA 15213

SHEET TITLE: LEVEL 1 FLOOR PLAN -
HALL OF THE ARTS

Scale: As indicated

Dwn By: Author

Date: 11.02.18

Rev No./Date:

Job No: 14081.01

Dwg No: A101.2